

Approaches to Multidisciplinary Design Optimization

Timothy W. Simpson

Assistant Professor
Mechanical & Nuclear Engineering and
Industrial & Manufacturing Engineering
The Pennsylvania State University
University Park, PA 16802

phone: (814) 863-7136 email: tws8@psu.edu http://edog.me.psu.edu/

Acknowledge support from the Office of Naval Research under ASSERT Grant# N00014-98-1-0525.

Report Documentation Page		
Report Date 15052001	Report Type N/A	Dates Covered (from to)
Title and Subtitle Approaches to Multidisciplinary Design Optimization		Contract Number
		Grant Number
		Program Element Number
Author(s) Simpson, Timothy W.		Project Number
		Task Number
		Work Unit Number
Performing Organization Name(s) and Address(es) The Pennsylvania State University University Park, PA 16802		
Sponsoring/Monitoring Agency Name(s) and Address(es)		Sponsor/Monitor's Acronym(s)
NDIA (National Defense Industrial Association 2111 Wilson Blvd., Ste. 400 Arlington, VA 22201-3061		Sponsor/Monitor's Report Number(s)
Distribution/Availability Approved for public releas		
Supplementary Notes Proceedings from 3rd Simu The original document con	-	onference, 15-17 May 2001, sponsored by NDIA,
Abstract		
Subject Terms		
Report Classification unclassified		Classification of this page unclassified
Classification of Abstract unclassified		Limitation of Abstract UU
Number of Pages 26		

г



Presentation Overview

- What is multidisciplinary design optimization?
 - Why use it?
 - How is it used?
- Example MDO application
- Computational challenges in MDO
- Example surrogate modeling application




What is MDO?

- Multidisciplinary design optimization (MDO):
 - is a methodology for the design of systems in which strong interactions between disciplines motivates designers to simultaneously manipulate variables in several disciplines
 - involves the coordination of multiple disciplinary analyses to realize more effective solutions during the design and optimization of complex systems



Applied Research Laboratory


Simulation-Based Design Architecture



Cost Agent




Design Server Interactions





System-level Objective







How is it used?


- Using MDO involves:
 - decomposing the system into multiple subsystems or disciplinary analyses
 - developing mathematically models and analyses for:
 - the "parent" system
 - each subsystem <u>and</u> its interactions
 - selecting an appropriate MDO formulation and algorithm
 - solving the MDO problem to generate solutions





Multiple Discipline Feasible

- Get feasible and stay feasible
- Implies each iteration is a two part process:
 - move to improve design
 - re-establish feasibility








Individual Discipline Feasible

- Go straight to optimum
- Since optimum usually on boundary, not feasible until optimal
 - equivalent to discrepancy = 0







Collaborative Optimization


System-Level Optimizer Decompose Goal: Design objective s.t. Interdisciplinary system into compatibility constraints smaller units that can be Subspace Optimizer 1 Subspace Optimizer 2 Subspace Optimizer n individually Goal: Interdisciplinary Goal: Interdisciplinary Goal: Interdisciplinary compatibility compatibility compatibility optimized Analysis 1 Analysis 2 s.t. Analysis n s.t. s.t. and then constraints constraints constraints synthesized into a system Analysis 1 Analysis 2 Analysis n



Underwater Exploratory Vehicle

- 4 Subsystems:
 - Guidance & Control
 - Instrumentation
 - Power
 - Propulsion
- Subsystem analyses developed by Erik Halberg (M.S., ME)


- 7 Design Variables:
 - Volumes








Underwater Vehicle Example



PENNSTATE


- LININ JIJAI

Applied Research Laboratory




Underwater Exploratory Vehicle

$$\begin{split} & Min \, P_1(d_8^-) + P_2(d_4^-) + P_3(d_5^- + d_6^- + d_7^-) + \\ & P_4(d_1^- + d_2^- + d_3^-) \\ & st \\ & L_{GC} + L_P + L_I - L_V = 0 \\ & (e^0 - d_E^- + d_E^+) * 50/(s^0 - d_S^- + d_S^+) - R = 0 \end{split}$$



 pn^0 \int $e^0 hp^0 sp^0$



 $d_S^- d_S^+ SP$

Guidance & Control

Min
$$\Sigma(d_i^- + d_i^+)$$
 $i = 1,2,3$
st
 $P(V) + d_3^- - d_3^+ = p^0$
 $dB(V) + d_2^- - d_2^+ = dB^0$
 $\omega(V) + d_1^- - d_1^+ = \omega^0$

Instrumentation

Min
$$d_4^- + d_4^+$$

st
Pn(V) + $d_4^- - d_4^+ = pn^0$

Power

 s^0

 $d_i^- d_i^+ V_P$

Min
$$\Sigma(d_k^- + d_k^+) k = 5,6,7$$

st
 $E(V) + d_6^- - d_6^+ = e^0$
 $HP(V) + d_7^- - d_7^+ = hp^0$
 $SP(V) + d_5^- - d_5^+ = sp^0$

Propulsion


Min
$$d_8^- + d_8^+$$

st
S(SP) + $d_8^- - d_8^+ = s^0$



Vehicle Performance

- MDO formulation yields superior performance:
 - Speed
 - Endurance
 - Effectiveness






Vehicle Optimization


- Final Design:
 - Slightly different configurations


- Solution Time:
 - 1 minute vs. 3 hours






Vehicle Configurations











Computational Challenges in MDO

- In MDO, computer simulation codes are:
 - often "black-box" in nature
 - discipline-specific
 - composed in different languages (e.g., Fortran, C, Java)
 - distributed, both geographically and on different computer platforms
 - computationally expensive due to fidelity of modeling and need for accurate results



Surrogate Models for MDO


- Surrogate models are fast, simple approximations of computationally-expensive computer simulations and/or analyses
- They provide a "model of a model" which can be used in place of the original computer simulation
- Surrogate modeling can be used to generate "smart objects" that can be used in place of the original analyses and integrated within any SBD infrastructure



Overview of Surrogate Modeling


Generate simulation data using design of experiments capability

Use surrogate modeling capability to construct a "model of the model"





Surrogate Models in MDO




Each sub-system or disciplinary analysis can be replaced by a surrogate model and invoked by the higher-level coordinator





Application: Rocket Nozzle


 Utilize surrogate models to facilitate multidisciplinary design and optimization of an aerospike rocket nozzle for the next generation shuttle



Venture Star RLV




Aerospike Nozzle




PENNSTATE

Applied Research Laboratory



PENNSTATE

Applied Research Laboratory





Closing Remarks

- MDO involves the coordination of multiple disciplinary analyses to realize more effective solutions during the design of complex systems
- Surrogate models can be used to address many of the computational challenges associated with MDO
- MDO formulations that incorporate uncertainty are currently being investigated



For Further Reading

- McAllister, C. D. and Simpson, T. W. Multidisciplinary Robust Design Optimization of an Internal Combustion Engine, ASME Design Technical Conferences - Design Automation Conference (Diaz, A., ed.), Pittsburgh, PA, September 9-12, ASME, Paper No. DETC2001/DAC-21124.
- McAllister, C. D., Simpson, T. W. and Yukish, M. (2000) Goal Programming Applications in Multidisciplinary Design Optimization, 8th AIAA/NASA/USAF/ISSMO Symposium on Multidisciplinary Analysis and Optimization, Long Beach, CA, September 6-8, AIAA, AIAA-2000-4717.
- Simpson, T. W., Mauery, T. M., Korte, J. J. and Mistree, F., "Comparison of Response Surface and Kriging Models for Multidisciplinary Design Optimization," 7th AIAA/USAF/NASA/ISSMO Symposium on Multidisciplinary Analysis & Optimization, AIAA, Vol. 1, 1998, pp. 381-391.
- Koch, P. N., Simpson, T. W., Allen, J. K. and Mistree, F., "Statistical Approximations for Multidisciplinary Optimization: The Problem of Size," *Special Multidisciplinary Design Optimization Issue of Journal of Aircraft,* Vol. 36, No. 1, 1999, pp. 275-286.
- Jin, R., Chen, W. and Simpson, T. W., "Comparative Studies of Metamodeling Techniques under Multiple Modeling Criteria," 8th AIAA/NASA/USAF/ISSMO Symposium on Multidisciplinary Analysis and Optimization, Long Beach, CA, AIAA, 2000, AIAA-2000-4801, to appear in Journal of Structural and Multidisciplinary Optimization.